

AMENDMENT TO THE CLAIMS

1. (currently amended) A method of processing a body of text to generate compression options, comprising:

performing a linguistic analysis on the body of text to obtain a linguistic output indicative of linguistic components of the body of text; and

~~after performing the linguistic analysis, generating automatically~~ generating a plurality of compression options for each of a plurality of different portions of the body of text to compress the body of text based on the linguistic output each of the compression options comprising a different compressed form of an instance of the portion in the body of text; and

~~selecting one of the plurality of compression options for each of the plurality of different portions of the body of text to output a compressed form of the body of text.~~

2. (previously amended) The method of claim 1 wherein generating a plurality of compression options comprises:

automatically subjecting the portions of the body of text to different sets of compression rules to obtain the plurality of compression options.

3. (previously amended) The method of claim 2 wherein automatically subjecting the portions of the body of text to different sets of compression rules, comprises:

subjecting each portion of the body of text to the different sets of compression rules in a predetermined order such that the compression options reflect varying degrees of compression of a same portion of the body of text.

4. (previously amended) The method of claim 3 wherein generating automatically a plurality of compression options comprises:

generating a compression identifier attribute indicative of at least one of the sets of compression rules to which the portion of the body of text is subjected.

5. (previously amended) The method of claim 4 wherein generating automatically a plurality of compression options comprises:

generating a ShortForm attribute indicative of a compressed form of the portion of the body of text after application of the set of compression rules.

6. (previously amended) The method of claim 5 wherein generating automatically a plurality of compression options comprises:

generating a case normalized attribute, based on the ShortForm attribute, indicative of a CaseNormalizedForm of the ShortForm attribute.

7. (previously amended) The method of claim 6 wherein generating automatically a plurality of compression options comprises:

generating a compression attribute indicative of a further compressed form of the case normalized attribute.

8. (original) The method of claim 7 wherein generating a compression attribute comprises:

applying letter removal rules to the case normalized attribute to remove letters based on a predetermined location of the letters in the CaseNormalizedForm.

9. (previously amended) The method of claim 8 wherein generating automatically a plurality of compression options comprises:

generating a LongForm attribute that reflects substantially no compression of the portion of the body of text.

10. (previously amended) The method of claim 9 wherein one ShortForm attribute comprises a word substitution based on a dictionary look-up and wherein generating automatically a plurality of compression options comprises:

setting the case normalized attribute and the compression attribute to the ShortForm

attribute.

11. (original) The method of claim 5 wherein performing a linguistic analysis comprises performing a syntactic analysis on the portion of the body of text and wherein generating the ShortForm attribute comprises:

applying the set of compression rules based on the syntactic analysis.

12. (original) The method of claim 11 wherein the linguistic analysis further comprises, prior to performing the syntactic analysis:

performing a lexical analysis on the body of text; and
performing a morphological analysis on the body of text.

13. (original) The method of claim 5 wherein generating the ShortForm attribute comprises:
normalizing dates to a numerical form.

14. (original) The method of claim 5 wherein generating the ShortForm attribute comprises:
normalizing offset dates to a numerical form, based on a date that the body of text was authored.

15. (original) The method of claim 5 wherein generating the ShortForm attribute comprises:
maintaining symbol-sensitive text fragments in uncompressed form.

16. (original) The method of claim 15 wherein maintaining symbol-sensitive text fragments comprises:

maintaining text fragments that, cannot be accurately understood unless maintained fully in-tact, in uncompressed form.

17. (original) The method of claim 16 wherein maintaining text fragments comprises:

maintaining uniform resource locators and electronic mail addresses in uncompressed form.

18. (original) The method of claim 11 wherein the syntactic analysis includes a tree having non-terminal nodes representing multi-word portions of the body of text and terminal nodes indicative of words in the body of text, and wherein both the non-terminal nodes and the terminal nodes are examined for application of compression rules.

19. (currently amended) A computer readable data structure formed from a linguistic analysis of a body of text ~~to be compressed~~ indicative of a plurality of compressed forms of the body of text, the data structure comprising:

a plurality of different sections, each section corresponding to a textual term in the body of text, each section further comprising a plurality of selectable data fields, selectable to representing a plurality of different compressed forms of the corresponding textual term in the body of text.

20. (previously amended) The computer readable data structure of claim 19 and further comprising:

a compression type attribute indicative of a type of compression applied to the textual term in the body of text in generating at least one of the plurality of compressed forms.

21. (previously amended) The computer readable data structure of claim 20 wherein the plurality of compressed forms comprises:

a ShortForm attribute indicative of a compressed form of the textual term in the body of text after application of the type of compression identified by the compression type attribute.

22. (previously amended) The computer readable data structure of claim 21 wherein the plurality of compressed forms comprises:

a case normalized attribute, based on the ShortForm attribute, indicative of a CaseNormalizedForm of the ShortForm attribute.

23. (previously amended) The computer readable data structure of claim 22 wherein the plurality of compressed forms comprises:

a compression attribute indicative of a further compressed form of the case normalized attribute.

24. (previously amended) The computer readable data structure of claim 23 and further comprising:

a LongForm attribute indicative of substantially no compression of the textual term in the body of text.

25. (currently amended) A message handler receiving a message and generating compression options indicative of different forms of a portion of a body of text in the message, the message handler comprising:

a linguistic analyzer linguistically configured to analyze the body of text and provide a linguistic analysis; and

a compression form generator configured to automatically generate a plurality of different compressed forms of a plurality of individual textual segments in the body of text based on the linguistic analysis; and

a compressor configured to generate an output indicative of selected ones of the plurality of different compressed forms for the individual textual segments in the body of text.

26. (previously amended) The message handler of claim 25 wherein the compression form

generator is configured to automatically apply a plurality of different sets of compression rules to each of the individual textual segments in the body of text to obtain the plurality of compressed forms.

27. (previously amended) The message handler of claim 26 wherein the compression form generator is further configured to automatically apply the different sets of compression rules in a predetermined order such that the plurality of compressed forms reflect varying degrees of compression of a same individual textual segment in the body of text.

28. (previously amended) The message handler of claim 27 wherein the compression form generator is further configured to generate a compression identifier attribute indicative of at least one of the sets of compression rules applied to the individual textual segment in the body of text.

29. (original) The message handler of claim 27 wherein the compression form generator is configured to provide, at its output, a data structure containing a plurality of attributes indicative of the plurality of compressed forms, and the compression identifier attribute.

30. (previously amended) The message handler of claim 29 wherein the plurality of attributes includes:

- a ShortForm attribute indicative of a compressed form of the individual textual segment in the body of text after application of the set of compression rules;
- a case normalized attribute, based on the ShortForm attribute, indicative of a CaseNormalizedForm of the ShortForm attribute; and
- a compression attribute indicative of a further compressed form of the case normalized attribute.

31. (previously amended) The message handler of claim 30 wherein the plurality of attributes further comprises:

a LongForm attribute that reflects substantially no compression of the individual textual segment in the body of text.